Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	12214	movable with plurality with drive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 15:18
L3	2405	movable with plurality with drive with mechanism	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 15:18
L4	79	movable with plurality with drive with mechanism with optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/06/19 15:18
L5	37	L4 and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 15:31
L6	1	("6721112").PN.	USPAT; USOCR	OR	OFF	2006/06/19 15:29
L7	487	(359/824).CCLS.	USPAT; USOCR	OR	OFF	2006/06/19 15:29
L8	253	L7 and plurality	USPAT	OR	OFF	2006/06/19 15:30
L9	46	L7 and (plurality with movable)	USPAT	OR	OFF	2006/06/19 15:30
L10	41	L9 and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 15:36
L11	657	mirror\$1 same magnet\$1 same coil\$1 same switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 15:35

			<u>r</u>	r————		r
L12	160	L11 and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 15:35
L13	22	(plurality with mirror\$1) same (magnet\$1 with coil\$1) same switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 15:36
L14	4	L13 and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 15:36
L15	8429	plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L16	4666	(plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1) and support and drive\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L17	4537	(plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1) and coil\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L18	1931	plurality with (movable or rotatable) with (mirror\$1 or reflector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L19	133	(plurality with (movable or rotatable) with (mirror\$1 or reflector\$1)) and coil\$1 and magnet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L20	216	(plurality with (movable or rotatable) with (mirror\$1 or reflector\$1)) and magnet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16

L21	770	(359/824).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L22	582	(359/813).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L23	324	(359/814).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L24	680	(359/822).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L25	3319	(369/44.11).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L26	1901	(369/44.14).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L27	868	(369/44.15).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L28	368	(369/44.16).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16

			I			
L29	7662	((359/824).CCLS.) or ((359/813). CCLS.) or ((359/814).CCLS.) or ((359/822).CCLS.) or ((369/44. 11).CCLS.) or ((369/44.14).CCLS.) or ((369/44.15).CCLS.) or ((369/44.16).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L30	1140	((plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1) and support and drive\$1) and ((movable or rotatable) with (mirror\$1 or reflector\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L31	1140	(((plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1) and support and drive\$1) and ((movable or rotatable) with (mirror\$1 or reflector\$1))) and (coil\$1 or magnet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L32	1140	(((plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1) and support and drive\$1) and ((movable or rotatable) with (mirror\$1 or reflector\$1))) and (coil\$1 or magnet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L33	1140	(((plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1) and support and drive\$1) and ((movable or rotatable) with (mirror\$1 or reflector\$1)) and magnet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L34	1140	((((plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1) and support and drive\$1) and ((movable or rotatable) with (mirror\$1 or reflector\$1)) and magnet\$1) and (support\$1 or spring\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16

6/19/06 4:52:49 PM C:\Documents and Settings\JDinh\My Documents\EAST\Workspaces\Case 10783476.wsp Page 4

L35	26	((((plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1) and support and drive\$1) and ((movable or rotatable) with (mirror\$1 or reflector\$1)) and magnet\$1) and (support\$1 adj spring\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L36	1140	(((((plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1) and support and drive\$1) and ((movable or rotatable) with (mirror\$1 or reflector\$1))) and magnet\$1) and (support\$1 or spring\$1)) and plurality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L37	1140	((((((plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1) and support and drive\$1) and ((movable or rotatable) with (mirror\$1 or reflector\$1))) and magnet\$1) and (support\$1 or spring\$1)) and plurality) and drive\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L38	1009	((((((((plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1) and support and drive\$1) and ((movable or rotatable) with (mirror\$1 or reflector\$1))) and magnet\$1) and (support\$1 or spring\$1)) and plurality) and drive\$1) and mount\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L39	4410	((movable or rotatable) with (mirror\$1 or reflector\$1)) and (coil\$1 or magnet\$1) and (support\$1 or spring\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L40	4410	((movable or rotatable) with (mirror\$1 or reflector\$1)) and (coil\$1 or magnet\$1) and (support\$1 or spring\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16

6/19/06 4:52:49 PM C:\Documents and Settings\JDinh\My Documents\EAST\Workspaces\Case 10783476.wsp Page 5

L41	1009	((((((((plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1) and support and drive\$1) and ((movable or rotatable) with (mirror\$1 or reflector\$1))) and magnet\$1) and (support\$1 or spring\$1)) and plurality) and drive\$1) and mount\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L42	66	(plurality with movable with mirror\$1) and light\$1 and magnet\$1 and coil\$1 and support\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L43	0	"20020075786" and (spring\$1 with couple\$1 with coil\$1)	US-PGPUB	OR	OFF	2006/06/19 16:16
L44	1	"20020075786"	US-PGPUB	OR	OFF	2006/06/19 16:16
L45	1	"20020075786" and (spring\$1 with coil\$1)	US-PGPUB	OR	OFF	2006/06/19 16:16
L46	1	"20020075786" and (spring\$1 with connect\$2 with coil\$1)	US-PGPUB	OR	OFF	2006/06/19 16:16
L47	1986	(359/290,291,627).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L48	4397	(385/16,17,18).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L49	6261	((359/290,291,627).CCLS.) or ((385/16,17,18).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L50	121	(((359/290,291,627).CCLS.) or ((385/16,17,18).CCLS.)) and (plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1) and coil\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16

			······································			
L51	186	(((359/290,291,627).CCLS.) or ((385/16,17,18).CCLS.)) and plurality with (movable or rotatable) with (mirror\$1 or reflector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L52	27	(((359/290,291,627).CCLS.) or ((385/16,17,18).CCLS.)) and (plurality with (movable or rotatable) with (mirror\$1 or reflector\$1)) and coil\$1 and magnet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L53	39	(((359/290,291,627).CCLS.) or ((385/16,17,18).CCLS.)) and (plurality with (movable or rotatable) with (mirror\$1 or reflector\$1) and magnet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L54	73	(((359/290,291,627).CCLS.) or ((385/16,17,18).CCLS.)) and ((plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1) and support and drive\$1) and ((movable or rotatable) with (mirror\$1 or reflector\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L55	799	(369/244,199).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L56	3	((369/244,199).CCLS.) and (plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1) and coil\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L57	2	((369/244,199).CCLS.) and plurality with (movable or rotatable) with (mirror\$1 or reflector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L58	2	((369/244,199).CCLS.) and (plurality with (movable or rotatable) with (mirror\$1 or reflector\$1)) and coil\$1 and magnet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16

L59	2	((369/244,199).CCLS.) and (plurality with (movable or rotatable) with (mirror\$1 or reflector\$1)) and magnet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L60	1	("4655558").PN.	USPAT; USOCR	OR	OFF	2006/06/19 16:16
L61	4397	(385/16,17,18).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L62	799	(369/244,199).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L63	0	(359/290,291,627)".CCLS"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L64	7662	((359/824).CCLS.) or ((359/813). CCLS.) or ((359/814).CCLS.) or ((359/822).CCLS.) or ((369/44. 11).CCLS.) or ((369/44.14).CCLS.) or ((369/44.15).CCLS.) or ((369/44.16).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L65	12773	((385/16,17,18).CCLS.) or ((369/244,199).CCLS.) or ((359/290,291,627)".CCLS") or (((359/824).CCLS.) or ((359/813). CCLS.) or ((359/814).CCLS.) or ((359/822).CCLS.) or ((369/44. 11).CCLS.) or ((369/44.14).CCLS.) or ((369/44.15).CCLS.) or ((369/44.16).CCLS.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16

Page 8

		r				
L66	362	(((385/16,17,18).CCLS.) or ((369/244,199).CCLS.) or ((359/290,291,627)".CCLS") or ((359/824).CCLS.) or ((359/813). CCLS.) or ((359/814).CCLS.) or ((369/44.11).CCLS.) or ((369/44.14).CCLS.) or ((369/44.15).CCLS.) or ((369/44.16).CCLS.) or ((369/44.16).CCLS.))) and plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1 and coil\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L67	167	(((385/16,17,18).CCLS.) or ((369/244,199).CCLS.) or ((359/290,291,627)".CCLS") or ((359/824).CCLS.) or ((359/813). CCLS.) or ((359/822).CCLS.) or ((369/44. 11).CCLS.) or ((369/44.14).CCLS.) or ((369/44.15).CCLS.) or ((369/44.16).CCLS.) or ((369/44.16).CCLS.) or or ((369/44.16).CCLS.) or ((369/44.16).CCLS.) or ((369/44.16).CCLS.) or ((369/44.16).CCLS.) or ((369/44.16).CCLS.) or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16
L68	95	(((385/16,17,18).CCLS.) or ((369/244,199).CCLS.) or ((359/290,291,627)".CCLS") or ((359/824).CCLS.) or ((359/813). CCLS.) or ((359/822).CCLS.) or ((369/44. 11).CCLS.) or ((369/44.14).CCLS.) or ((369/44.15).CCLS.) or ((369/44.16).CCLS.) or ((369/44.16).CCLS.))) and plurality and (movable or rotatable) and (mirror\$1 or reflector\$1) and light\$1 and magnet\$1 and support and drive\$1 and ((movable or rotatable) with (mirror\$1 or reflector\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 16:16